

# 2012 Suzuki Ozark 250 Specifications

## Identification

Model Type Utility

Dealers [Suzuki Dealers](#)

Warranty 12

Insurance

## Engine:

Engine Type Single-Cylinder

Cylinders 1

Engine Stroke 4-Stroke

Cooling Air

Valves 2

Valves Per Cylinder 2

Valve Configuration SOHC

Bore (mm/in) 66 / 2.6

Stroke (mm/in) 72 / 2.84

Displacement (cc/ci) 246 / 15

Compression Ratio 9.2:1

Starter Electric / Pull

Fuel Requirements Regular

Fuel Type Gas

Carburetion Brand Mikuni

Fuel Injector No

Carburetor Yes

Number Of Carburetors 1

Carburetor Size (mm) 29

Carburetion Type Carburetor

## Transmission:

Transmission Type Manual / Automatic Clutch

Number Of Speeds 5

Primary Drive (Rear Wheel) Shaft

Reverse Yes

Hi / Low Range No

## Wheels & Tires:

Wheels Composition Steel

Front Tire Diameter (in) 22

Rear Tire Diameter (in) 22

Chromed No

Tire Brand Dunlop®

Front Tire Width 7

Front Wheel Diameter 11

Rear Tire Width 10

Rear Wheel Diameter 9

Front Tire (Full Spec) Dunlop® AT 22 X 7-11

Rear Tire (Full Spec) Dunlop® AT 22 X 10-9

**Brakes:**

Front Brake Type Dual Hydraulic Disc

Front Brake Diameter (in/mm) 6.3 / 160

Rear Brake Type Drum

**Suspension:**

Front Suspension Type Independent Double A-Arm

Front Travel (in/mm) 5.5 / 139.7

Front Adjustable Fork Pre-Load No

Front Adjustable Rebound Damping No

Front Central Suspension Strut No

Front Stabilizer Bar No

Rear Suspension Type Swing Arm

Rear Travel (in/mm) 5.5 / 139.7

Rear Adjustable Shock / Spring Pre-Load No

Rear Adjustable Rebound Damping No

Number Rear Shock Absorbers 1

Rear Suspension Material Steel

Rear Stabilizer Bar No

Air Adjustable No

**Steering:**

Steering Type Manual

Steering Control Handlebar

**Technical Specifications:**

Length (ft) 5.91

Width (in/mm) 41.1 / 1045

Height (in/mm) 42.1 / 1070

Wheelbase (in/mm) 44.9 / 1140

Ground Clearance (in/mm) 8.3 / 210

Length (ft/ft) 5

Length (ft/in) 10.9

Wet Weight (lbs/kg) 428 / 194

Towing Capacity (lbs/kgs) 728 / 330.2

Fuel Capacity (gal/l) 2.6 / 9.7

Performance Standard

**Seats:**

Seat Type One-Piece

Adjustable No

Seat Material Vinyl

Seat Location Driver

Folding No

Seat Height (in/mm) 30.9 / 785

Number Of Seats 1

**Exterior:**

Frame Steel

Body Material Plastic

Floor Board Location	Driver
Hand Grips	Standard
Foot Peg Location	Driver
Adjustable	No
Hand Guards	No
Brush Guard	Yes
Light Guard	No
Radiator Guard	Yes
Shock Cover	No
Front Fender	Standard
Rear Fender	Standard
Handlebars	Standard
Front Bumper	Standard
Front Fender Flairs	Standard
Rear Fender Flairs	Standard
A-Arm Skid Plate (Rear)	No
Bash Plate (Front/Rear)	Yes / No
Swing Arm Skid Plate	No
Full Length Skid Plate	Yes

**Pricing:**

Warranty (Months/Condition)	12 / Limited
Battery Warranty (Months)	0

**Identification:**

Generic Type (Primary)	Utility
Manufacturer Country	Japan
Manufacturer Recommend Minimum Age	16
Parent Company	Suzuki
Display Name	Ozark 250

**Drive Line:**

Driveline Type	4X2
Number Of Driveline Modes	1
Rear Unlocking Differential	No
Rear Solid Axle	Yes

**Lights:**

Halogen Headlight (s)	Standard
Headlight (s)	Standard
Type	Halogen

**Storage:**

Number Of Side Cases	0
Number Of Saddle Bags	0
Underseat Storage	Standard
Rear Rack	Standard
Front Rack	Standard

**Paint & Finish:**

Metallic	No
----------	----